



1801 Morgan Street
Rockford, IL 61102
Phone: (815) 968-9661
Fax: (815) 968-9731
www.gcelectronics.com

MSDS Number: 167
Revision Date: 2/18/2015
Supersedes Date: 3/22/2012

SAFETY DATA SHEET

Complies with OSHA Hazard Communication Standard 29 CFR 1910.1200

Product Name: GLASS AND PLASTIC CLEANER

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product Type:	Specialty Mixture	Emergency Contact:	Chemtrec
Product Name:	GC Glass and Plastic Cleaner	Phone:	(800) 424-9300
Part Number(s):	10-9082		

SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

OSHA HCS (29 CFR 1910.1200)

Flam. Aerosol 2; Liquefied gas

Label elements

Hazard Symbol



WARNING

Signal word(s)

Hazard Statement(s)

Flammable aerosol.

Contains gas under pressure; may explode if heated.

Precautionary Statement(s)

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Do not spray on an open flame or other ignition source.

Do not pierce or burn, even after use.

Wash hands and exposed skin after use.

Protect from sunlight. Do not expose to temperatures exceeding 50°C/
122°F.

Other hazards

None



1801 Morgan Street
Rockford, IL 61102
Phone: (815) 968-9661
Fax: (815) 968-9731
www.gcelectronics.com

MSDS Number: 167
Revision Date: 2/18/2015
Supersedes Date: 3/22/2012

SAFETY DATA SHEET

Product Name: GLASS AND PLASTIC CLEANER

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Ingredient(s)	% wt. *	CAS No.	Hazard classification
Propane	1 - 5	74-98-6	Flam. Gas 1, H220 Press. Gas (*)
Butane	1 - 5	106-97-8	Flam. Gas 1, H220 Press. Gas (*)
Ethanol	1 - 2	64-17-5	Flam. Liq. 2; H225 Eye Irrit. 2; H319
Methanol	<1	67-56-1	Flam. Liq. 2; H225 Acute Tox. 3; H301, H311, H331 STOT SE 1; H370 (Optic nerve, Central nervous system)
2-Butoxyethanol	1 - 5	111-76-2	Acute. Tox. 4; H302, H312, H332 Skin Irrit. 2; H315 Eye Irrit. 2a; H319
Aqua ammonia	< 1	1336-21-6	Skin Irrit. 2; H315 Eye Irrit. 2; H319

Additional Information - None

* The exact percentage withheld as a trade secret in accordance with 29 CFR 1910.1200.

SECTION 4. FIRST AID MEASURES



Description of first aid measures

Inhalation	Move person to fresh air. If breathing is laboured, administer oxygen. If symptoms develop, obtain medical attention.
Skin Contact	Wash affected skin with soap and water. If symptoms develop, obtain medical attention.
Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation develops and persists, get medical attention.
Ingestion	Immediately call a POISON CENTER or doctor/physician. Do not give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed None anticipated

Indication of any immediate medical attention and special treatment needed None anticipated



1801 Morgan Street
Rockford, IL 61102
Phone: (815) 968-9661
Fax: (815) 968-9731
www.gcelectronics.com

MSDS Number: 167
Revision Date: 2/18/2015
Supersedes Date: 3/22/2012

SAFETY DATA SHEET

Product Name: GLASS AND PLASTIC CLEANER

SECTION 5. FIREFIGHTING MEASURES

Extinguishing Media

-Suitable Extinguishing Media
-Unsuitable Extinguishing Media

Extinguish with carbon dioxide, dry chemical, foam or waterspray.
Do not use water jet.

Special hazards arising from the substance or mixture

Pressurised container: May burst if heated

Advice for fire-fighters

A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions. Keep containers cool by spraying with water if exposed to fire.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Keep away from heat/sparks/open flames/hot surfaces. – No smoking.
Take precautionary measures against static discharges. Avoid contact with skin and eyes.

Environmental precautions

Prevent liquid entering sewers, basements and workpits.

Methods and material for containment and cleaning up

Cover spills with inert absorbent material. Transfer to a container for disposal or recovery.

Reference to other sections

None

Additional Information

None

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling

Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Use product in a well-ventilated area only. Avoid contact with skin and eyes.

Conditions for safe storage, including any incompatibilities

-Storage temperature

Store in a well-ventilated place. Protect from sunlight. Do not expose to temperatures exceeding 50°C/ 122°F.

-Incompatible materials

This product should be stored away from sources of strong heat or oxidizing chemicals.

Specific end use(s)

Cleaning product

1801 Morgan Street
Rockford, IL 61102
Phone: (815) 968-9661
Fax: (815) 968-9731
www.gcelectronics.com

MSDS Number: 167
Revision Date: 2/18/2015
Supersedes Date: 3/22/2012

SAFETY DATA SHEET

Product Name: GLASS AND PLASTIC CLEANER

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational Exposure Limits

SUBSTANCE.	CAS No.	(8hr TWA)		(STEL)		Note:
		PEL (OSHA)	TLV (ACGIH)	PEL (OSHA)	TLV (ACGIH)	
n-Butane	106-97-8	-----	250 ppm	-----	-----	-----
Propane	74-98-6	1000 ppm	Aspyx. [#]	-----	-----	#
Ethanol	64-17-5	1000 ppm	-----	-----	1000 ppm	-----
Methanol	67-56-1	200 ppm	200 ppm	-----	250 ppm	Skin
2-Butoxyethanol	111-76-2	50 ppm	20 ppm	-----	-----	-----
Ammonia	7664-41-7	50 ppm	25 ppm	-----	35 ppm	-----

[#]Assure minimum oxygen content of work atmosphere.

Recommended monitoring method

NIOSH 1500 (hydrocarbons, B.P. 36 - 216 °C); NIOSH 1400 (Alcohols I); NIOSH 1403 (Alcohols IV).

Exposure controls

Appropriate engineering controls

Use only with adequate ventilation to keep exposures (airborne levels of dust, fume, vapour etc) below recommended exposure limits.

Personal protection equipment

Eye/face protection

Wear protective eyewear (goggles, face shield, or safety glasses).



Skin protection (Hand protection/ Other)

Wear suitable gloves if prolonged skin contact is likely (Nitrile rubber).



Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.



Thermal hazards

Not normally required.

Environmental Exposure Controls

None known



1801 Morgan Street
Rockford, IL 61102
Phone: (815) 968-9661
Fax: (815) 968-9731
www.gcelectronics.com

MSDS Number: 167
Revision Date: 2/18/2015
Supersedes Date: 3/22/2012

SAFETY DATA SHEET

Product Name: GLASS AND PLASTIC CLEANER

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	Liquid / Liquefied gas
Color.	Clear
Odor	Not available
Odor Threshold (ppm)	Not available
pH (Value)	Not available
Melting Point (°C) / Freezing Point (°C)	Not available
Boiling point/boiling range (°C):	Not available
Flash Point (°C)	-104 (Propane)
Evaporation Rate	Not available
Flammability (solid, gas)	Flammable aerosol
Explosive Limit Ranges	2.1% - 9.5% v/v (Propane)
Vapor pressure (Pascal)	ca. 95×10^4 (Propane)
Vapor Density (Air=1)	ca. 1.56 @ 0°C (Propane)
Density (g/ml)	Not available
Solubility (Water)	Not available
Solubility (Other)	Not available
Partition Coefficient (n-Octanol/water)	Not available
Auto Ignition Point (°C)	450 (Propane)
Decomposition Temperature (°C)	Not available
Kinematic Viscosity (cSt)	<20
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Other information	Not available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	Stable under normal conditions.
Chemical stability	Stable.
Possibility of hazardous reactions	None anticipated.
Conditions to avoid	Avoid contact with heat and ignition sources.
Incompatible materials	Strong oxidizing agents
Hazardous decomposition product(s)'''	None known

SECTION 11. TOXICOLOGICAL INFORMATION

Exposure routes: Inhalation, Skin Contact, Eye Contact

Mixtures

Acute toxicity	LD50 >5000 mg/kg-bw
Irritation / Corrosivity	Causes serious eye irritation.



1801 Morgan Street
Rockford, IL 61102
Phone: (815) 968-9661
Fax: (815) 968-9731
www.gcelectronics.com

MSDS Number: 167
Revision Date: 2/18/2015
Supersedes Date: 3/22/2012

SAFETY DATA SHEET

Product Name: GLASS AND PLASTIC CLEANER

SECTION 11. TOXICOLOGICAL INFORMATION (CONTINUED)

Substances in preparations / mixtures

Methanol (CAS# 67-56-1)

Acute toxicity *

LD50 (oral, monkey): 7000 mg/kg-bw
LD0 (oral, rat): ≥ 2528 mg/kg-bw
LC50 (inhal., cat, 6-hours): 43.68 mg/L
LC50 (inhal., monkey, 4-hours): 52 mg/L
Ingestion may damage the optic nerve.
May cause dizziness and drowsiness.

Irritation

May cause eye irritation.

Sensitisation

It is not a skin sensitiser.

Repeated dose toxicity

NOAEC (2-yr. inhal., mouse): ≥ 1.3 mg/L

Developmental Toxicity

Negative. Not a specific developmental toxin.

Toxicity for reproduction

Negative. Not a specific reproductive toxin.

Mutagenicity

Negative

Carcinogenicity

Probably not carcinogenic to humans.

Other information

* ATE (oral) = 100 mg/kg
* ATE (dermal) = 300 mg/kg
* ATE (inhalation) = 3 mg/L

Propane (CAS# 74-98-6):

Acute toxicity

Inhalation: LC50 = 1237 mg/L (2-hr, mouse, gas)

Irritation/Corrosivity

No evidence of irritant effects from normal handling and use.

Sensitisation

It is not a skin sensitiser.

Repeated dose toxicity

NOAEC: ≥ 19678 mg/m³ (28-day, rat, Systemic effects)
LOAEC: 21641 mg/m³ (28-day, rat, effects: Body weight)

Carcinogenicity

No data. It is unlikely to present a carcinogenic hazard to man.

Mutagenicity

There is no evidence of mutagenic potential.

Reproductive toxicity

None anticipated

SECTION 12. ECOLOGICAL INFORMATION

Aquatic toxicity:

Short term

LC50 (96 hour): >100 mg/L (Fish)

Long Term

NOAEC (28 days): >100 mg/l (Fish) QSAR

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal should be in accordance with local, state or national legislation. Consult an accredited waste disposal contractor or the local authority for advice.



1801 Morgan Street
Rockford, IL 61102
Phone: (815) 968-9661
Fax: (815) 968-9731
www.gcelectronics.com

MSDS Number: 167
Revision Date: 2/18/2015
Supersedes Date: 3/22/2012

SAFETY DATA SHEET

Product Name: GLASS AND PLASTIC CLEANER

SECTION 14. TRANSPORT INFORMATION

	<u>U.S. DOT</u>	<u>Sea transport (IMDG)</u>	<u>Air transport (ICAO/IATA)</u>
UN number	1950	1950	1950
Proper Shipping Name	Aerosols, flammable	Aerosols, flammable	Aerosols, flammable
Transport hazard class(es)	2.1	2.1	2.1
Packing group	Not applicable	Not applicable	Not applicable
Environmental hazards	None assigned	None assigned	None assigned
Special precautions for user	None assigned	None assigned	None assigned

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture:

TSCA (Toxic Substance Control Act) - Inventory Status: All components listed or polymer exempt.

Designated Hazardous Substances and Reportable Quantities (40 CFR 302.4):

Chemical Name	CAS No.	Typical %wt.	RQ (Pounds)
Methanol	67-56-1	< 1	5000

SARA 311/312 - Hazard Categories:

☒ Fire ☒ Sudden Release ☐ Reactivity ☒ Immediate (acute) ☐ Chronic (delayed)

SARA 313 - Toxic Chemicals (40 CFR 372):

Chemical Name	CAS No.	Typical %wt.
Methanol	67-56-1	< 1

SARA 302 - Extremely Hazardous Substances(40 CFR 355):

Chemical Name	CAS No.	Typical %wt.	TPQ (pounds)
None	----	----	----

California Proposition 65 List:

Chemical Name	CAS No.	Type of Toxicity
Methanol	67-56-1	Developmental



1801 Morgan Street
Rockford, IL 61102
Phone: (815) 968-9661
Fax: (815) 968-9731
www.gcelectronics.com

MSDS Number: 167
Revision Date: 2/18/2015
Supersedes Date: 3/22/2012

SAFETY DATA SHEET

Product Name: GLASS AND PLASTIC CLEANER

SECTION 16. OTHER INFORMATION

Hazard Statement(s) and Risk Phrases Listed in: SECTION 2:/ SECTION 3:

Hazard Statement(s)

- H220: Extremely flammable gas.
- H225: Highly flammable liquid and vapour.
- H301: Toxic if swallowed.
- H302: Harmful if swallowed.
- H311: Toxic in contact with skin.
- H312: Harmful in contact with skin.
- H315: Causes skin irritation.
- H318: Causes serious eye damage.
- H319: Causes serious eye irritation.
- H330: Fatal if inhaled.
- H331: Toxic if inhaled.
- H332: Harmful if inhaled.
- H335: May cause respiratory irritation.
- H370: Causes damage to organs.

Training advice: None.

SECTION 17. DISCLAIMER

GC Electronics believes that the information contained herein is accurate and reliable as of the date of this material safety data sheet, but no representation guarantee or warranty, express or implied, is made as to the accuracy, reliability or completeness of the information. Persons receiving information are encouraged to make their own determination as to the information's suitability and completeness for their particular application. NO INFORMATION CONTAINED HEREIN CONSTITUTES A PRODUCT WARRANTY OF ANY KIND, WHETHER EXPRESS OR IMPLIED; AND ALL IMPLIED WARRANTIES OF MERCHANT ABILITY AND OF FITNESS FOR A PARTICULAR PURPOSE ARE HEREBY DISCLAIMED BY GC ELECTRONICS.