## MATERIAL SAFETY DATA SHEET

12-5-16

1. Product and Company Identification

Static Guard Fresh Scent

Material name

STATIC GUARD - REDUCED FRESH SCENT

Revision date

15-Apr-2008

CAS#

Mixture

Product use

Anti-Static Spray

Company information

ALBERTO-CULVER USA, INC. 2525 Armitage Avenue

Melrose Park, IL 60160 US Business Phone (708) 450-3000 Emergency Phone (708) 450-3175

Shipping Emergencies CHEMTREC 800 424-9300 or 703 527-3887

**Emergency** 

Emergency Phone (708) 450-3175

Shipping Emergencies CHEMTREC 800 424-9300 or 703 527-3887

**General information** 

Business Phone (708) 450-3000

2. Hazards Identification

**Emergency overview** 

Flammable.

Harmful in contact with eves.

Potential short term health effects

Eyes

Contact with eyes may cause irritation.

Skin

Health injuries are not known or expected under normal use. Prolonged or repeated contact

can result in defatting and drying of the skin which may result in skin irritation and dermatitis

(rash).

Inhalation

Intentional misuse by concentrating and inhaling the product can be harmful or fatal.

Ingestion

Do not ingest. Health injuries are not known or expected under normal use.

Target organs

Eyes. Respiratory system. Skin.

Chronic effects

Main symptoms

May cause central nervous system disorder (e.g., narcosis involving a loss of coordination, weakness, fatique, mental confusion, and blurred vision) and/or damage. May cause delayed lung damage. Prolonged skin contact may defat the skin and produce dermatitis. Conjunctiva.

Narcosis, Behavioral changes, Decrease in motor functions. Defatting of the skin. Rash.

Irritation, Conjunctivitis, Corneal damage.

3. Composition / Information on Ingredients

CAS# Percent Components ALCOHOL DENAT. 64-17-5 < 100

Non-hazardous and other components below reportable levels

2.485184211690

**Composition comments** 

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

4. First Aid Measures

First aid

Eye contact

Immediately flush eyes with plenty of water for at least 20 minutes. Get medical attention if

irritation develops or persists.

Skin contact

Wash off with soap and water. Get medical attention if irritation develops or persists.

Inhalation

Move to fresh air. Call a physician if symptoms develop or persist.

Ingestion

Have victim rinse mouth thoroughly with water. If ingestion of a large amount does occur, seek

medical attention.

Notes to physician

Symptoms may be delayed.

General advice

Call a physician if symptoms develop or persist. If you feel unwell, seek medical advice (show

the label where possible).

5. Fire Fighting Measures

Unusual fire & explosion

hazards

Vapor or gas may spread to distant ignition sources and flash back. Runoff to sewer may

cause fire or explosion hazard. Containers may explode when heated.

Material name: STATIC GUARD - REDUCED FRESH SCENT

Suitable extinguishing media

Small Fires: Dry chemical, CO2, water spray or regular foam.

Large Fires: Water spray, fog or regular foam.

Fire fighting

equipment/instructions

Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask. Move containers from fire area if you can do it without risk. Fight fire from maximum distance or use unmanned hose holders or monitor nozzles. ALWAYS stay away from tanks engulfed in flame. For massive fire, use unmanned hose holders or monitor nozzles; if this is impossible, withdraw from area and let fire burn. Withdraw immediately in case of rising sound from venting safety devices or any discoloration of tanks due to fire.

Special protective equipment

for fire-fighters

Structural firefighters protective clothing will only provide limited protection.

Specific methods

In the event of fire and/or explosion do not breathe fumes.

Flash point

> 53.6 °F (> 12 °C)

**Auto-ignition temperature** 

685.4 °F (362.8 °C) estimated

## 6. Accidental Release Measures

Containment procedures

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Do not touch or walk through spilled material. Keep people away from and upwind of spill/leak. Large Spills: Dike far ahead of liquid spill for later disposal. Absorb with earth, sand or other

Personal precautions Methods for cleaning up

non-combustible material and transfer to containers for later disposal.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean contaminated surface thoroughly.

Never return spills in original containers for re-use.

## 7. Handling and Storage

Handling Do not handle or store near an open flame, heat or other sources of ignition. All equipment

used when handling the product must be grounded. Avoid contact with skin and eyes. Keep

away from sources of ignition - No smoking. May be ignited by open flame.

Keep away from heat and sources of ignition. Store in cool place. Keep in a well-ventilated Storage

place. This material can accumulate static charge which may cause spark and become an ignition source. The pressure in sealed containers can increase under the influence of heat. Use care in handling/storage. Keep container tightly closed. Keep the container dry. Keep this material away from food, drink and animal feed. Keep out of the reach of children. Do not

handle or store near an open flame, heat or other sources of ignition.

Class IB Flammable Liquid.

## 8. Exposure Controls / Personal Protection

Personal protective equipment

Respiratory protection

When workers are facing concentrations above the exposure limit they must use appropriate

certified respirators. No personal respiratory protective equipment normally required.

Hand protection

Applicable for industrial settings only. Protective gloves.

Eve protection

Avoid contact with eves.

Applicable for industrial settings only. Wear chemical goggles.

Skin and body protection

Not normally needed.

Engineering measures to

reduce exposure

Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits.

Hygiene measures

When using do not smoke. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with the skin and the eyes. Keep away from food and drink.

### 9. Physical & Chemical Properties

**Boiling point** 

> 172.4 °F (> 78 °C)

**Flammability** 

Not available.

Form

Liquid.

Percent volatile

97.9254 % estimated

PH

6.7 - 7.3

Vapor pressure

78.96 HPa estimated

Material name: STATIC GUARD - REDUCED FRESH SCENT

# 10. Chemical Stability & Reactivity Information

Stability

Risk of ignition.

Conditions to avoid

High temperatures. Direct sources of heat.

Hazardous polymerization

Will not occur.

Incompatibility

Acids. Amines. Isocyanates.

## 11. Toxicological Information

## Toxicology data for the preparation

**Local effects** 

Contact may irritate or burn eyes.

Carcinogenicity

US ACGIH Threshold Limit Values: A4 carcinogen

ALCOHOL DENAT.

64-17-5

Group A4 Not classifiable as a human carcinogen.

Reproductivity

Possible reproductive hazard.

Chronic toxicity

Prolonged exposure may cause chronic effects.

**Further information** 

Symptoms may be delayed.

## 12. Ecological Information

**Ecotoxicity** 

This material is not expected to be harmful to aquatic life. Components of this product have been identified as having potential environmental concerns.

#### Invertebrate Toxicity: EC50 value

ALCOHOL DENAT.	64-17-5 64-17-5 64-17-5 64-17-5 64-17-5 64-17-5 64-17-5 64-17-5	Water flea (Daphnia magna) > 1.58 mg/l 24 h Static Intoxication Water flea (Daphnia magna) > 100 mg/l 24 h Static Intoxication Water flea (Daphnia magna) > 100 mg/l 4 h Static Intoxication Water flea (Daphnia magna) > 100 mg/l 2 h Static Intoxication Water flea (Daphnia magna) > 10000 mg/l 24 h Static Intoxication Water flea (Daphnia magna) > 10000 mg/l 48 h Static Intoxication Water flea (Daphnia magna) 7.7 - 11.2 mg/l 48 h Static Intoxication Water flea (Daphnia obtusa) 10100 - 11200 mg/l 48 h Static Intoxication Water flea (Daphnia magna) > 1000 mg/l 6 h Static Intoxication Water flea (Daphnia magna) > 100 mg/l 6 h Static Intoxication		
ALCOHOL DENAT.  Micro-organisms Toxicity: LO	64-17-5	Water flea (Daphnia magna) > 100 mg/l 6 h Static Intoxication		
micro-organisms roxicity. Loso value				

ALCOHOL DENAT. 64-17-5 Turbellarian, flatworm (Dugesia tigrina) > 100 mg/l 96 h Static Mortality

### 13. Disposal Considerations

Waste codes

D001: Waste Flammable material with a flash point <140 F

**Disposal instructions** 

Dispose in accordance with all applicable regulations. Must be incinerated in a suitable incineration plant holding a permit delivered by the competent authorities. If discarded, this product is considered a RCRA ignitable waste, D001. Incinerate the material under controlled conditions in an approved incinerator.

## 14. Transport Information

### Department of Transportation (DOT) Requirements

Basic shipping requirements:

Proper shipping name

FLAMMABLE LIQUID n.o.s. (Ethanol Mixture)

Hazard class

**UN** number

UN1993

Packaging group

Ш

Additional information:

Special provisions

24, IB2, T4, TP1

Packaging exceptions Packaging non bulk

150 202

Packaging bulk **ERG** number

242 128



Material name: STATIC GUARD - REDUCED FRESH SCENT

#### IATA

Basic shipping requirements:

Proper shipping name

FLAMMABLE LIQUID n.o.s. (Ethanol Mixture)

Hazard class

**UN** number

UN1993

Packaging group

|||

**Packaging instructions** 

305



### **IMDG**

Basic shipping requirements:

Proper shipping name

FLAMMABLE LIQUID n.o.s. (Ethanol Mixture)

Hazard class

**UN number** 

1993

Packaging group

Ш

Additional information: Hazard ID

33

Item

F1

Labels required

3

**Transport Category** 

2

## 15. Regulatory Information

**US federal regulations** 

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

CERCLA/SARA Hazardous Substances - Not applicable.

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200

Yes

hazardous chemical

**CERCLA (Superfund) reportable quantity** 

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Section 302 extremely

No

hazardous substance

Section 311 hazardous

Yes

chemical

**Hazard categories** 

Immediate Hazard - Yes Delayed Hazard - Yes Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

**HMIS** ratings

Health: 1 Flammability: 3 Physical hazard: 1

NFPA ratings

Health: 1 Flammability: 3 Instability: 1

International regulations

The product is classified and labelled in accordance with EC directives or respective national

laws.

Material name: STATIC GUARD - REDUCED FRESH SCENT

#### Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (CCS)	No
Europe	European Inventory of New and Existing Chemicals (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Japanese Inventory of Existing and New Chemical Substances (ENCS	No No
Korea	Korean Inventory of Chemicals (KICS)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

State regulations

WARNING: This product contains a chemical known to the State of California to cause birth

defects or other reproductive harm.

US - Pennsylvania RTK - Hazardous Substances: Listed substance

ALCOHOL DENAT.

64-17-5

Listed.

### 16. Other Information

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Issue date

15-Apr-2008